Retail Food Establishment Inspection Report

Floyd County Health Department
Telephone:812-948-4726
X387

Based on an inspection this day, the item(s) noted below identify violations of 410 IAC 7-24, Indiana Retail Food Establishment Sanitation Requirements. The time limit for correction of each violation is specified in the narrative portion of this report.

Establishment Name: McDonalds #7438	Telephone Number: (812) 923-2814 Establishment; (614) 682-1401 Owner	Date of Inspection (mm/dd/yr): 2-8-19	ID #: 18-163
Establishment Address (number and street, city, state, zip code): 1051 Luther Rd, Georgetown, IN 47122			
Owner: McDonalds Corp	Purpose: 1. Routine; 2. Follow-up; 3. Complaint; 4. Pre-Operational; 5. Temporary; 6. HACCP; 7. Other (list)	Follow-up: Yes	Release Date: 10 days
Owner's Address: PO Box 183096		Summary of Violations: C Ø NC 1 R 1	
Person in Charge: David Lorenze			
Responsible Person's E-mail:		Menu Type *(See back of page)*: 1 2 3 X 4 5	
Certified Food Handler: Edward Long 7-12-2022			

• CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"

• VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE BELOW AS "R"

Section#	C/NC	R	Narrative	To Be Corrected By
324	NC	R	Cycled automatic sink 5-6 times before the temperature reached 100°F. Dixie plumbing has been twice to try and fix the situation they think extensive work may need to be done to fix the issue. PIC will email reciepts for the 2 visits from Dixie Plumbing.	2 weeks
			* If an extension is needed contact FCHD within 2 weeks *	

Received by (name and title printed): DAVID LORENZE General Manager	Inspected by (name and title printed): Anthony Lieber EHS
Received by (signature):	Inspected by (signature):
cc:	cc: / cc: