Retail Food Establishment Inspection Report

Floyd County Health Department
Telephone:812-948-4726
X6060

Based on an inspection this day, the item(s) noted below identify violations of 410 IAC 7-24, Indiana Retail Food Establishment Sanitation Requirements. The time limit for correction of each violation is specified in the narrative portion of this report.

Establishment Name Meijer (store #220)	**Telephone Number** 812-542-3800 / 606-791-2567	**Date of Inspection (mm/dd/yr)** 4/05/2019	**PERMIT #** 18-1606
Establishment Address (number and street, city, state, zip code) 4222 Charlestown Rd. New Albany, IN 47150			
Owner Meijer Stores Limited Partnership	**Purpose:** (1. Routine)	**Follow-up** YES	**Release Date** TODAY
Owner's Address 2929 Walker Ave NW Grand Rapids, MI 49544	2. Follow-up	Summary of Violations:	
Person in Charge Todd Herrmann	3. Complaint	C 4 NC 12 R 2	
Responsible Person's E-mail	4. Pre-Operational		
	5. Temporary	Menu Type *(See back of page)*	
Certified Food Manager Todd Herrmann (10/27/2020)	6. HACCP		
	7. Other (list)	1 2 3 4 X 5	

• CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"

• VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE BELOW AS "R"

Section#	C/NC	R	Narrative	To Be Corrected By
191	C		Observed (3) outdated "Jenni-O" sausage packs (4/2/19)	Discarded
345	C		Observed food debris and soiled gloves in deli handsink	Corrected
415	C		Observed gnats at deli and both lobby self-serve soda areas	2 weeks
			- contact CPO for treatment/DO NOT SELF SPRAY/TRAP	
449	C		Observed unapproved bait station at checkout soda cabinet	Discarded
177	NC		Observed deli soda machine ice to be uncovered	Today
218	NC		Observed the following pieces of equipment needing cleaned:	1 week
			1) Coffee filter handle missing at deli	
		R	2) Mildew/hard water build-up on produce spray nozzles	
295	NC		Observed the following pieces of food-contact equipment:	Today
			1) Rusting/hard water/mildew soda machine at deli	
		R	2) Rusting/hard water coffee filter bulb(s) at deli	
			3) Mold at "Freestyle" ice chute/nozzle	
297	NC		Observed the following pieces of equipment needing cleaned:	Today
			1) Debris in cheese wall retail catches/trays	
			2) Food debris in meat cooler retail catches/trays	
			* Please see page 2	

Received by (name and title printed): Todd Herrmann Store Director	Inspected by (name and title printed): A.J. Ingram (EHS)
Received by (signature):	Inspected by (signature): AJ
cc:	cc: / cc:

NARRATIVE REPORT

Establishment Name	Address	Inspection Date
Meijer (store #220)	4222 Charlestown Rd New Albany, IN	4/05/2019

Section#	C/NC	R	REMARKS	TO BE CORRECTED BY
310	NC		Observed dusty ceiling exhaust fans in produce BOH/prep	Today
413	NC		Observed ½" horizontal/bottom door gap at "Home" entrance	2 weeks
422	NC		Observed the following areas of inappropriate personal storage:	Today
			1) Employee food and drinks in customer dining/deli cabinets	
			2) Employee coats hung throughout BOH/U-boats	
425	NC		Observed side walk sweeper parked under candy storage	Today
426	NC		Observed lack of organization on deli walk-in rack	Today
			- define storage needs/reduce debris and clutter	
430	NC		Observed the following facility repairs:	3 Months
			1) (2) missing ceiling tiles in Easter candy overflow	
			2) Rusting beams in BOH walk-in freezer	
			- PIC was discussing repair with RGM during inspection	
431	NC		Observed soda syrup spill at "Freestyle" machine	Today
			- this spill was attracting vectors	
433	NC		Observed Mop not properly hung and water needing dumped at bakery	Today
			FCHD will return 7/8/2019 for follow-up	

Received By (Name & Title)

Inspected By (Name & Title) A.J. Ingram (EHS)

State Form 48621(R2 / 8-05)